



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office
ASSISTANT SECRETARY OF COMMERCE AND
COMMISSIONER OF PATENTS AND TRADEMARKS
P.O. Box 1450
Alexandria, VA 22313-1450

September 13, 2011

SMART & BIGGAR
438 UNIVERSITY AVENUE
SUITE 1500, BOX 111

TORONTO ON M5G 2K8 CA CANADA Patent No. : 7,919,319 B2
Inventor(s) : Eric Jervis, et al.
Issued : April 5, 2011
For **CULTURED CELL AND METHOD**
AND APPARATUS FOR CELL CULTURE
Doc. No.: 92132-10

To Whom It May Concern:

The Certificate of Correction issued on September 13, 2011, issued in error, in that error(s) was made in identifying the patent number and/or keying text/corrections, i.e.:

The column and line number identifying location of error in patent was not printed in the issued cofc. The correction displays "Column 31, Claim 53, line 2", listing column number, claim number and line number. The correction should be shown as --Column 31, line 62 (Claim 53, line 2)--. The correction displays "Column 32, Claim 56, line 2", listing column number, claim number and line number. The correction should be shown as --Column 32, line 2 (Claim 56, line 2)--. The correction displays "Column 32, Claim 57, line 5", listing column number, claim number and line number. The correction should be shown as --Column 32, line 5 (Claim 57, line 2)--. The correction displays "Column 32, Claim 60, line 2", listing column number, claim number and line number. The correction should be shown as --Column 32, line 12 (Claim 60, line 2)--. A new certificate of correction will be issued listing the Column and line number location where error appears in the printed patent.

Therefore, a certificate of correction will be issued to correct (supersede) the Certificate of Correction containing error(s), made during preparation of the Certificate of Correction, as noted above.

No further response is required, from applicants (attorney). However, errors discovered by attorney, other than as noted and described above, should be noted on *a copy* of the Certificate of Correction that was issued in error, accompanied by a signed transmittal letter and submitted directed to this Branch.

Antonio Johnson
(571)272-0483
For Mary F. Diggs, Supervisor
Decisions & Certificates of Correction Branch